

Strawberry Lemonade - 10mg

Sample ID: 2503AFL0459.2037

Internal Lab ID: ATL-27781

Client

Strain: Strawberry Lemonade - 10mg

Torch Drinks, LLC

Matrix: Ingestible

Received: 03/14/2025

Lic. #

Type: Beverage

Completed: 04/08/2025

1038 Arlington Street

Unit Weight: 355 g

Batch#: B2520TSL

Orlando, FL 32805



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	03/15/2025	Complete
Residual Solvents	03/28/2025	Pass
Microbials	03/31/2025	Pass
Pesticides	03/18/2025	Pass
Heavy Metals	04/08/2025	Pass
Foreign Matter	03/31/2025	Pass

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-001

Basic Potency

Complete


0.003% Total THC	0.001% Total CBD	0.004% Total Cannabinoids
----------------------------	----------------------------	-------------------------------------

Analyte	LOQ	Result	Result	Analyte	LOQ	Result	Result
	%	%	mg/unit		%	%	mg/unit
CBDVa	0.011	ND	ND	9S-HHC	0.009	ND	ND
CBDV	0.011	ND	ND	9R-HHC	0.013	ND	ND
CBDa	0.008	ND	ND	Δ9-THCH	0.006	ND	ND
CBGa	0.008	ND	ND	Δ8-THCH	0.009	ND	ND
CBG	0.007	ND	ND	Δ9-THCP	0.009	ND	ND
CBD	0.000	0.001	4.88	Δ8-THCP	0.010	ND	ND
THCV	0.008	ND	ND	Δ8-THCO	0.007	ND	ND
Δ8-THCV	0.004	ND	ND	Δ9-THCO	0.005	ND	ND
THCVa	0.005	ND	ND	9(S)-HHCP	0.010	ND	ND
CBN	0.011	ND	ND	9(R)-HHCP	0.010	ND	ND
Δ9-THC	0.001	0.003	10.53	11-Hydroxy-THC	0.005	ND	ND
Δ8-THC	0.005	ND	ND	1(S)-H4-CBD	0.012	ND	ND
(6aR,9S)-d10-THC	0.005	ND	ND	1(R)-H4-CBD	0.025	ND	ND
(6aR,9R)-d10-THC	0.002	ND	ND	Δ9-THCB	0.004	ND	ND
CBC	0.005	ND	ND	Δ8-THCB	0.007	ND	ND
CBCa	0.009	ND	ND	CBDp	0.009	ND	ND
THCa	0.005	ND	ND	Total		0.004	15.41

Document ID: ATL-225, Rev 05, Effective Date: 03 October 2023; Date Tested: 03/15/2025

NT Not Tested Moisture Content	NT Not Tested Water Activity	Pass Foreign Matter
---	---	-------------------------------




Paulo Gonzalez
Laboratory Director
04/08/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
http://accuratetestlab.com
Lic#

QA Testing

2 of 6

Strawberry Lemonade - 10mg

Sample ID: 2503AFL0459.2037

Internal Lab ID: ATL-27781

Client

Strain: Strawberry Lemonade - 10mg

Torch Drinks, LLC

Matrix: Ingestible

Received: 03/14/2025

Lic. #

Type: Beverage

Completed: 04/08/2025

1038 Arlington Street

Unit Weight: 355 g

Batch#: B2520TSL

Orlando, FL 32805

Pesticides


Pass

Analyte	Limit	Result	Status	Analyte	Limit	Result	Status
	PPB	PPB			PPB	PPB	
Abamectin	300.0	ND	Pass	Fludioxonil	3000	4.445	Pass
Acephate	3000	ND	Pass	Hexythiazox	2000	ND	Pass
Acequinocyl	2000	ND	Pass	Imazalil	100.0	ND	Pass
Acetamiprid	3000	ND	Pass	Imidacloprid	3000	ND	Pass
Aldicarb	100.0	ND	Pass	Kresoxim Methyl	1000	ND	Pass
Azoxystrobin	3000	4.268	Pass	Malathion	2000	ND	Pass
Bifenazate	3000	ND	Pass	Metalaxyl	3000	ND	Pass
Bifenthrin	500.0	ND	Pass	Methiocarb	100.0	ND	Pass
Boscalid	3000	ND	Pass	Methomyl	100.0	ND	Pass
Captan	3000	ND	Pass	Mevinphos	100.0	ND	Pass
Carbaryl	500.0	ND	Pass	Myclobutanil	3000	ND	Pass
Carbofuran	100.0	ND	Pass	Naled	500.0	ND	Pass
Chlorantraniliprole	3000	ND	Pass	Oxamyl	500.0	ND	Pass
Chlordane	100.0	ND	Pass	Paclobutrazol	100.0	ND	Pass
Chlorfenapyr	100.0	ND	Pass	Parathion Methyl	100.0	ND	Pass
Chlormequat chloride	3000	ND	Pass	Pentachloronitrobenzene	200.0	ND	Pass
Chlorpyrifos	100.0	ND	Pass	Permethrin	1000	ND	Pass
Clofentezine	500.0	ND	Pass	Phosmet	200.0	ND	Pass
Coumaphos	100.0	ND	Pass	Piperonyl Butoxide	3000	ND	Pass
Cyfluthrin	1000	ND	Pass	Prallethrin	400.0	ND	Pass
Cypermethrin	1000	ND	Pass	Propiconazole	1000	ND	Pass
Daminozide	100.0	ND	Pass	Propoxur	100.0	ND	Pass
Diazinon	200.0	ND	Pass	Pyrethrins	1000	ND	Pass
Dichlorvos	100.0	ND	Pass	Pyridaben	3000	ND	Pass
Dimethoate	100.0	ND	Pass	Spinetoram	3000	ND	Pass
Dimethomorph	3000	ND	Pass	Spinosad	3000	ND	Pass
Ethoprophos	100.0	ND	Pass	Spiromesifen	3000	ND	Pass
Etofenprox	100.0	ND	Pass	Spirotetramat	3000	ND	Pass
Etoxazole	1500.0	ND	Pass	Spiroxamine	100.0	ND	Pass
Fenhexamid	3000	ND	Pass	Tebuconazole	1000	ND	Pass
Fenoxycarb	100.0	ND	Pass	Thiacloprid	100.0	ND	Pass
Fenpyroximate	2000	ND	Pass	Thiamethoxam	1000	ND	Pass
Fipronil	100.0	ND	Pass	Trifloxystrobin	3000	ND	Pass
Flonicamid	2000	ND	Pass				

Date Tested: 03/18/2025

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(b)




Paulo Gonzalez
Laboratory Director
04/08/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Strawberry Lemonade - 10mg

Sample ID: 2503AFL0459.2037

Internal Lab ID: ATL-27781

Client

Strain: Strawberry Lemonade - 10mg

Torch Drinks, LLC

Matrix: Ingestible

Received: 03/14/2025

Lic. #

Type: Beverage

Completed: 04/08/2025

1038 Arlington Street

Unit Weight: 355 g

Batch#: B2520TSL

Orlando, FL 32805

Microbials

Pass

Analyte	LOD CFU/g	Limit CFU/g	Result CFU/g	Status
Total Aerobic Count	10		NR	NT
Aspergillus (niger, fumigatus, flavus, terreus)	1	1	Not Detected in 1g	Pass
Bile-Tolerant Gram-Negative Bacteria			NR	NT
Shiga toxin-producing E. Coli	1	1	Not Detected in 1g	Pass
Salmonella	1	1	Not Detected in 1g	Pass
Staphylococcus aureus	10		NR	NT
Total Combined Yeast and Mold	10	100000	ND	Pass

Document ID: ATL-235, Rev 01, Effective Date: 13 May 2022

Date Tested: 03/31/2025

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-002 and ATL-PHI-004.

Foreign Matter

Pass

Analyte	Limit % by weight	Result % by weight	Status
Packaging Contaminants	0.01	ND	Pass
Insects	0.01	ND	Pass
Feces	0.005	ND	Pass
Mold	0.01	ND	Pass
FM Other		ND	Pass
Hair	0.01	ND	Pass

Document ID:

Date Tested: 03/31/2025

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-001

Heavy Metals

Pass

Analyte	LOQ µg/g	Limit µg/g	Result µg/g	Status
Arsenic	0.1	1.5	ND	Pass
Cadmium	0.1	0.5	ND	Pass
Lead	0.1	0.5	ND	Pass
Mercury	0.1	3	ND	Pass

Date Tested: 04/08/2025

Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034



Paulo Gonzalez
Laboratory Director
04/08/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
<http://accuratetestlab.com>
Lic#

QA Testing

4 of 6

Strawberry Lemonade - 10mg

Sample ID: 2503AFL0459.2037

Internal Lab ID: ATL-27781

Client

Strain: Strawberry Lemonade - 10mg

Torch Drinks, LLC

Matrix: Ingestible

Received: 03/14/2025

Lic. #

Type: Beverage

Completed: 04/08/2025

1038 Arlington Street

Unit Weight: 355 g

Batch#: B2520TSL

Orlando, FL 32805

Residual Solvents

Pass


Analyte	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	
1,1 Dichloroethene	0.7	8	ND	Pass
Ethylene Dichloride	0.2	2	ND	Pass
1,4-Dioxane			ND	Tested
2,2-Dimethyl-Butane			ND	Tested
2,3-Dimethyl-Butane			ND	Tested
2-Butanol			ND	Tested
2-Ethoxy-Ethanol			ND	Tested
2-Methyl-Pentane			ND	Tested
3-Methyl-Pentane			ND	Tested
Acetone	59	750	ND	Pass
Acetonitrile	5	60	ND	Pass
Benzene	0.08	1	ND	Pass
Butanes		5000	ND	Pass
Chloroform	0.2	2	ND	Pass
Cumene			ND	Tested
Cyclohexane			ND	Tested
Ethanol	79	5000	494.641	Pass
Ethyl Acetate	20	400	ND	Pass
Ethyl-Benzene			ND	Tested
Ethyl Ether	40	500	ND	Pass
Ethylene Glycol			ND	Tested
Ethylene Oxide	0.4	5	ND	Pass
Heptane	40	5000	ND	Pass
Hexanes		250	ND	Pass
Isobutane			ND	Tested

Document ID: ATL-230, Rev 01, Effective Date: 13 May 2022

Date Tested: 03/28/2025

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(c); Expanded uncertainty = ±25% considered for PASS/FAIL; Test Method ATL-GCM-001




Paulo Gonzalez
Laboratory Director
04/08/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
<http://accuratetestlab.com>
Lic#

QA Testing

5 of 6

Strawberry Lemonade - 10mg

Sample ID: 2503AFL0459.2037

Internal Lab ID: ATL-27781

Client

Strain: Strawberry Lemonade - 10mg

Torch Drinks, LLC

Matrix: Ingestible

Received: 03/14/2025

Lic. #

Type: Beverage

Completed: 04/08/2025

1038 Arlington Street

Unit Weight: 355 g

Batch#: B2520TSL

Orlando, FL 32805

Residual Solvents

Pass

Analyte	LOQ µg/g	Limit µg/g	Result µg/g	Status
Isopentane			ND	Tested
Isopropanol	40	500	ND	Pass
Isopropyl-Acetate			ND	Tested
m+p Xylene			ND	Tested
Methanol	20	250	ND	Pass
Methylene Chloride	10	125	ND	Pass
Butane	71		ND	Tested
Hexane	5		ND	Tested
Pentane	59		ND	Tested
Neopentane			ND	Tested
o-Xylene			ND	Tested
Pentanes		750	ND	Pass
Propane	165	5000	ND	Pass
Tetrahydrofuran			ND	Tested
Toluene	12	150	ND	Pass
Trichloroethene	2	25	ND	Pass
Xylenes	12	150	ND	Pass

ACCURATE
TEST LAB

Document ID: ATL-230, Rev 01, Effective Date: 13 May 2022

Date Tested: 03/28/2025

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(c); Expanded uncertainty = ±25% considered for PASS/FAIL; Test Method ATL-GCM-001



Paulo Gonzalez
Laboratory Director
04/08/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
<http://accuratetestlab.com>
Lic#

QA Testing

6 of 6

Strawberry Lemonade - 10mg

Sample ID: 2503AFL0459.2037

Internal Lab ID: ATL-27781

Client

Strain: Strawberry Lemonade - 10mg

Torch Drinks, LLC

Matrix: Ingestible

Received: 03/14/2025

Lic. #

Type: Beverage

Completed: 04/08/2025

1038 Arlington Street

Unit Weight: 355 g

Batch#: B2520TSL

Orlando, FL 32805

Mycotoxins


Not Tested

Analyte	LOD	LOQ	Limit	Result	Status
---------	-----	-----	-------	--------	--------



Date Tested:




Paulo Gonzalez
Laboratory Director
04/08/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

