

Torch 250mg D9 Gummy

Sample ID: 2608AFL1353.4739

Internal Lab ID: ATL-38695

Client

Strain: Watermelon Squeeze

Honest PPD

Matrix: Ingestible

Received: 08/14/2026

Lic. #

Type: Soft Chew

Completed: 08/17/2026

1038 Arlington St

Unit Weight: 11.1137 g

Batch#: GYDWS252502

Orlando, FL 32805



Summary

Test

Date Tested

Result

Batch

Complete

Cannabinoids

08/17/2026

Complete

Basic Potency - HPLC

Complete

0.219% Total THC	ND Total CBD	0.219% Total Cannabinoids
----------------------------	------------------------	-------------------------------------

Analyte	LOD	LOQ	Result	Result	Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/unit		%	%	%	mg/unit
CBDVa	0.003	0.009	ND	ND	CBN	0.003	0.009	ND	ND
CBDV	0.003	0.009	ND	ND	Δ^9 -THC	0.003	0.009	0.219	24.34
CBDa	0.003	0.009	ND	ND	Δ^8 -THC	0.003	0.009	ND	ND
CBGa	0.003	0.009	ND	ND	(6aR,9S)-d10-THC	0.003	0.010	ND	ND
CBG	0.003	0.009	ND	ND	(6aR,9R)-d10-THC	0.003	0.010	ND	ND
CBD	0.003	0.009	ND	ND	CBC	0.003	0.009	ND	ND
THCV	0.003	0.009	ND	ND	CBCa	0.003	0.009	ND	ND
Δ^8 -THCV	0.003	0.010	ND	ND	THCa	0.003	0.009	ND	ND
THCVa	0.003	0.009	ND	ND	Total			0.219	24.34

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2

Date Tested: 08/17/2026

Equations: Total Active THC = 9THC + (0.877 * THCA), Total Active CBD = CBD + (0.877 * CBDA), Potency via HPLC

NT Not Tested Document ID: Moisture Content	NT Not Tested Document ID: Water Activity	Not Tested Document ID: Foreign Matter
---	---	---




Lise Berthe-Laurent
Laboratory Director
08/17/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.