Bluebonnet Labs Certificate of Analysis

2567 Valley View Ln, Dallas, TX 75234, United States | TX Registration #: TL2020031

DEA #: RP0607436 | ISO/IEC 17025:2017 Certificate #: 6400.01

Bluebonnet Labs

Sample 10mg Black Cherry

Lab ID:	BBL_10558	**Matrix:**	Beverage	**Analyses Executed:**	CAN
Company:	Torch Drinks, LLC	**Lot ID:**	G2622TBC10	**Reported:**	07 Oct, 2026
Phone:	754-654-0006	**Received:**	24 Jul, 2026	**Note:**	Manufacturer:NVE Inc
Address:	1038 Arlington Street Orlando Florida, 33324				15 Whitehall Rd. Andover NJ 07821
Email:	Support@torchdrinks.com	**Collection Date:**	22 Jul, 2026	**License Number :**	0011121
COA Expiration Date:	25 Jul, 2027				

Lab Notes: Results reported for sample as received. THCP, HHCP, HHCO, D8-iso-THC, D8-THCV and D10-THC are not A2LA accredited.

Bluebonnet Labs

Cannabinoid Profile Analysis

Analyzed 27 Jul, 2026 | Instrument HPLC-PDA | Method TM-101
Uncertainty Measurement at 95% confidence level is 10%, k=2

Analyte	LOD (ppm)	LOQ (ppm)	Result %	Result (mg/g)	mg/ml	mg/serving
Cannabidivarinic acid (CBDVa)	0.030	0.080	ND	ND	ND	ND
Cannabidivarin (CBDV)	0.050	0.150	ND	ND	ND	ND
Cannabidiolic acid (CBDa)	0.040	0.110	ND	ND	ND	ND
Cannabigerolic acid (CBGa)	0.040	0.120	ND	ND	ND	ND
Cannabigerol (CBG)	0.080	0.230	ND	ND	ND	ND
Cannabidiol (CBD)	0.060	0.190	ND	ND	ND	ND
Tetrahydrocannabivarin (THCV)	0.080	0.240	ND	ND	ND	ND
D8-Tetrahydrocannabivarin (D8-THCV)	0.200	0.600	ND	ND	ND	ND
Tetrahydrocannabivarinic acid (THCVa)	0.050	0.160	ND	ND	ND	ND
Cannabinol (CBN)	0.040	0.120	ND	ND	ND	ND
Cannabinolic acid (CBNa)	0.080	0.250	ND	ND	ND	ND
Exo-Tetrahydrocannabinol (exo-THC)	0.120	0.360	ND	ND	ND	ND
D9-Tetrahydrocannabinol (D9-THC)	0.120	0.360	0.0027	0.027	0.0279	9.9045
D8-Tetrahydrocannabinol (D8-THC)	0.140	0.430	ND	ND	ND	ND
Cannabicyclol (CBL)	0.210	0.640	ND	ND	ND	ND
D9-Tetrahydrocannabinolic acid (THCa)	0.130	0.400	ND	ND	ND	ND
Cannabichromene (CBC)	0.090	0.280	ND	ND	ND	ND
Cannabichromenic acid (CBCa)	0.350	1.060	ND	ND	ND	ND
Total THC (THCa * 0.877 + THC)			0.0027	0.027		
Total CBD (CBDa * 0.877 + CBD)			ND	ND		
Total CBG (CBGa * 0.877 + CBG)			ND	ND		
Total Cannabinoids			0.0027	0.027	0.0279	9.9045
Total D9-THC (THCA * 0.877 + D9 THC)			0.0027	0.027		

Volume: 355.0000 ml, Density: 1.0319

Sample Photography



NR Not Reportable
ND Not Detected
N/A Not Applicable
NT Not Tested
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count

ilac-MRA A2LA ACCREDITED CERT#6400.01

Scan the QR code to verify authenticity.

Authorized Signature

Thinh Ngo

Thinh Ngo
Laboratory Director
07 Oct, 2026 08:00:37 PM

*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise.
All required LQC (Laboratory Quality Control) samples were included in the performance of these analyses and met the acceptance criteria for ISO/IEC Regulations.

Bluebonnet Labs Certificate of Analysis

2567 Valley View Ln, Dallas, TX 75234, United States | TX Registration #: TL2020031

DEA #: RP0607436 | ISO/IEC 17025:2017 Certificate #: 6400.01

Bluebonnet Labs

FVI - Filth & Foreign Matter Inspection Analysis

Analyzed 27 Jul, 2026 | Instrument Microscope | Method TM-108

Analyte Name	Result
> 1/4 of the total sample area covered by sand soil cinders or dirt	Negative
> 1/4 of the total sample area covered by mold	Negative
> 1 insect fragment 1 hair or 1 count mammalian excreta per 3g	Negative
> 1/4 of the total sample area covered by an imbedded foreign material	Negative

HME - Heavy Metals Detection Analysis

Analyzed 27 Jul, 2026 | Instrument ICP-MS | Method TM-105
Analysis Comment: Result '0' implies detection less than LOQ.

Analyte	LOD (ppb)	LOQ (ppb)	Result ug/g	Flag	Limit ug/g
Arsenic (As)	0.005	0.015	ND		
Cadmium (Cd)	0.005	0.016	ND		
Mercury (Hg)	0.004	0.013	ND		
Lead (Pb)	0.075	0.224	ND		

MIB - Microbial Testing Analysis

Analyzed 27 Jul, 2026 | Instrument PCR/ Plating | Method TM-109

Analyte	Limit (CFU/g)	Result CFU/g	Flag
Salmonella SPP		Neg	
Total Yeast & Mold		<10	
Aspergillus fumigatus		Neg	
Aspergillus flavus		Neg	
Aspergillus niger		Neg	
Aspergillus terreus		Neg	
Shiga toxin-producing Escherichia Coli		Neg	
Total Aerobic Count		<10	
BTGN		Neg	

MTO - Mycotoxin Testing Analysis

Analyzed 27 Jul, 2026 | Instrument LCMS-MS | Method Subcontracted

Analyte	LOD (ppb)	LOQ (ppb)	Result ug/kg (ppb)	Flag	Limit ug/kg
Mycotoxin B1	0.000	0.010	N D		
Mycotoxin B2	0.010	0.030	N D		
Mycotoxin G1	0.010	0.020	N D		
Mycotoxin G2	0.010	0.040	N D		
Ochratoxin A	0.020	0.060	N D		
Total Mycotoxins			N D		

NR Not Reportable
ND Not Detected
N/A Not Applicable
NT Not Tested
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count

ACCREDITED
CERT#6400.01

Scan the QR code to verify authenticity.

Authorized Signature

Thinh Ngo

Thinh Ngo
Laboratory Director
07 Oct, 2026 08:00:37 PM

*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise.
All required LQC (Laboratory Quality Control) samples were included in the performance of these analyses and met the acceptance criteria for ISO/IEC Regulations.

Bluebonnet Labs Certificate of Analysis

2567 Valley View Ln, Dallas, TX 75234, United States | TX Registration #: TL2020031

DEA #: RP0607436 | ISO/IEC 17025:2017 Certificate #: 6400.01

Bluebonnet Labs

PES - Pesticides Screening Analysis

Analyzed 27 Jul, 2026 | Instrument LCMS-MS | Method Subcontracted

Analytes	LOD (ppb)	LOQ (ppb)	Result ug/g	Flag	Limit ug/g
Abamectin	0.110	0.330	N D		
Acephate	0.230	0.700	N D		
Acequinocyl	0.110	0.320	N D		
Acetamiprid	0.020	0.050	N D		
Aldicarb	0.020	0.050	N D		
Azoxystrobin	0.020	0.060	N D		
Bifenazate	0.010	0.030	N D		
Bifenthrin	0.020	0.060	N D		
Boscalid	0.060	0.170	N D		
Captan	3.096	9.383	N D		
Carbaryl	0.010	0.040	N D		
Carbofuran	0.010	0.020	N D		
Chlorantraniliprole	0.010	0.030	N D		
Chlorpyrifos	0.010	0.030	N D		
Clofentezine	0.010	0.040	N D		
Coumaphos	0.040	0.120	N D		
Cyfluthrin	2.320	7.020	N D		
Cypermethrin	0.370	1.130	N D		
Daminozide	0.550	1.650	N D		
Dichlorvos	0.050	0.140	N D		
Dimethoate	0.010	0.020	N D		
Dimethomorph	0.010	0.030	N D		
Ethoprophos	0.020	0.050	N D		
Etofenprox	0.010	0.040	N D		
Etoxazole	0.010	0.020	N D		
Fenhexamid	0.040	0.140	N D		
Fenoxycarb	0.020	0.060	N D		
Fenpyroximate	0.010	0.040	N D		
Fipronil	0.010	0.040	N D		
Fludioxinil	0.020	0.050	N D		
Flonicamid	0.010	0.030	N D		
Hexythiazox	0.010	0.020	N D		
Imazalil	0.060	0.170	N D		
Imidacloprid	0.040	0.110	N D		
Kresoxim-methyl	0.020	0.050	N D		
Malathion	0.010	0.030	N D		
Metalaxyl	0.010	0.020	N D		
Methiocarb	0.010	0.030	N D		
Methomyl	0.020	0.050	N D		
Mevinphos	0.060	0.180	N D		
Myclobutanil	1.190	3.610	N D		
Naled	0.030	0.080	N D		
Oxamyl	0.020	0.050	N D		
Paclobutrazole	0.020	0.060	N D		

NR Not Reportable
ND Not Detected
N/A Not Applicable
NT Not Tested
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count

ilac-MRA ACCREDITED CERT#6400.01

Scan the QR code to verify authenticity.

Authorized Signature

Thinh Ngo

Thinh Ngo
Laboratory Director
07 Oct, 2026 08:00:37 PM

*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise.
All required LQC (Laboratory Quality Control) samples were included in the performance of these analyses and met the acceptance criteria for ISO/IEC Regulations.

Bluebonnet Labs Certificate of Analysis

2567 Valley View Ln, Dallas, TX 75234, United States | TX Registration #: TL2020031

DEA #: RP0607436 | ISO/IEC 17025:2017 Certificate #: 6400.01

Bluebonnet Labs

Analytes	LOD (ppb)	LOQ (ppb)	Result ug/g	Flag	Limit ug/g
Permethrin	0.080	0.260	N D		
Phosmet	0.010	0.030	N D		
Piperonyl butoxide	0.010	0.040	N D		
Prallethrin	0.100	0.300	N D		
Propiconazole	0.070	0.220	N D		
Propoxur	0.010	0.030	N D		
Pyrethrin-I	0.020	0.060	N D		
Pyridaben	0.010	0.020	N D		
Spinetoram	0.230	0.690	N D		
Spinosyn A	0.010	0.020	N D		
Spinosyn D	0.000	0.010	N D		
Spiromesifen	0.050	0.140	N D		
Spirotetramat	0.010	0.030	N D		
Spiroxamine	0.010	0.030	N D		
Tebuconazole	0.010	0.030	N D		
Thiachloprid	0.010	0.030	N D		
Methyl parathion	0.050	0.140	N D		
Thiamethoxam	0.010	0.040	N D		
Diazinon	0.010	0.040	N D		
Chlordane	0.740	2.250	N D		
Trifloxystrobin	0.010	0.030	N D		
Chlorfenapyr	0.830	2.530	N D		
Pentachloronitrobenzene	0.060	0.170	N D		
Chlormequat Chloride	0.010	0.030	N D		
Azadirachtin	0.250	0.850	N D		

NR Not Reportable
ND Not Detected
N/A Not Applicable
NT Not Tested
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count

ilac-MRA
ACCREDITED
CERT#6400.01

Scan the QR code to verify authenticity.

Authorized Signature

Thinh Ngo

Thinh Ngo
Laboratory Director
07 Oct, 2026 08:00:37 PM

*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise.
All required LQC (Laboratory Quality Control) samples were included in the performance of these analyses and met the acceptance criteria for ISO/IEC Regulations.

Bluebonnet Labs Certificate of Analysis

2567 Valley View Ln, Dallas, TX 75234, United States | TX Registration #: TL2020031

DEA #: RP0607436 | ISO/IEC 17025:2017 Certificate #: 6400.01

Bluebonnet Labs

RES – Residual Solvent Analysis

Analyzed 27 Jul, 2026 | Instrument HS-GC/MS | Method TM-106

Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)	Flag	Limit ug/g
Propane	0.470	1.410	N D		
Butane	0.200	0.610	N D		
Methanol	0.070	0.230	N D		
Ethylene Oxide	0.010	0.040	N D		
Pentane	0.130	0.410	N D		
Ethanol	0.130	0.380	97.0868		
Ethyl ether	0.020	0.070	N D		
Acetone	0.060	0.180	N D		
Isopropyl alcohol	0.030	0.090	N D		
Acetonitrile	0.020	0.060	N D		
Methylene chloride	0.010	0.020	N D		
Hexane	0.030	0.080	N D		
Ethyl acetate	0.030	0.080	N D		
Chloroform	0.010	0.030	N D		
Benzene	0.010	0.030	N D		
1 2-Dichloroethane	0.010	0.030	N D		
Heptane	0.020	0.060	N D		
Trichloroethene	0.010	0.030	N D		
Toluene	0.010	0.020	N D		
Isobutane	3.900	11.820	N D		
Ethyl benzene	1.700	5.160	N D		
m p-Xylenes	0.010	0.030	N D		
o-Xylene	0.010	0.020	N D		
1,1-Dichloroethene	0.010	0.030	N D		

NR Not Reportable
ND Not Detected
N/A Not Applicable
NT Not Tested
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count

ilac-MRA ACCREDITED CERT#6400.01

Scan the QR code to verify authenticity.

Authorized Signature

Thinh Ngo

Thinh Ngo
Laboratory Director
07 Oct, 2026 08:00:37 PM

*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise.
All required LQC (Laboratory Quality Control) samples were included in the performance of these analyses and met the acceptance criteria for ISO/IEC Regulations.